

Georgia Q 802K



CODICE / CODE	∕	A	B	C	F60	F61	FNO
802K.20.220.200	20x20	220	200	60			
802K.20.320.300	20x20	320	300	60			
802K.25.225.200	25x25	225	200	65		-	
802K.25.325.300	25x25	325	300	65		-	
802K.25.625.600	25x25	625	600	65		-	
802K.25.925.900	25x25	925	900	65		-	
802K.25.1225.1200	25x25	1225	1200	65		-	




F60

AISI304
inox satinato
satin s. steel




FNO


AISI304
nero opaco ral 9005
matt black ral 9005



802K.20



802K.25



servizio a richiesta / service on request



A MISURA - 25x25 mm / modulo di richiesta vedi pag. 126-127
CUSTOM MADE - 25x25 mm / request form see page 126-127

dotazione standard / included fixing kit



bussole
bolts



guarnizioni
gaskets



grani
grub screws



viti autofilettanti
self-tapping



tronconi
threaded bars

finitura a richiesta / finishes on request

F61

inox lucido
polished s. steel

F41

bianco opaco ral 9010
opaque white ral 9010

FBO

bianco opaco ral 9016
opaque white ral 9016

Georgia Q 802K oversize



CODICE / CODE	▧	A	B	C	F60	FNO
802K.30.XX.XX	30x30	XX	XX	80		





F60

AISI304
inox satinato
satin s. steel

FNO

AISI304
nero opaco ral 9005
matt black ral 9005



servizio a richiesta / *service on request*



A MISURA / modulo di richiesta vedi pag. 126-127
CUSTOM MADE / request form see page 126-127

dotazione standard / *included fixing kit*

bussole <i>bolts</i>	guarnizioni <i>gaskets</i>	grani <i>grub screws</i>	viti autofilettanti <i>self-tapping</i>	tronconi <i>threaded bars</i>

finitura a richiesta / <i>finishes on request</i>	F61	F41	FBO
	inox lucido <i>polished s. steel</i>	bianco opaco ral 9010 <i>opaque white ral 9010</i>	bianco opaco ral 9016 <i>opaque white ral 9016</i>

Georgia 802



CODICE / CODE	Ø	A	B	C	F60	FNO
802.20.220.200	20	220	200	60		
802.25.225.200	25	225	200	65		
802.25.325.300	25	325	300	65		
802.25.625.600	25	625	600	65		
802.25.925.900	25	925	900	65		
802.25.1225.1200	25	1225	1200	65		






F60

AISI304
inox satinato
satin s. steel



FNO

AISI304
nero opaco ral 9005
matt black ral 9005



dotazione standard / included fixing kit




finitura a richiesta / finishes on request	F61	F41	FBO
	inox lucido polished s. steel	bianco opaco ral 9010 opaque white ral 9010	bianco opaco ral 9016 opaque white ral 9016

PVD

PVD

PVD è l'acronimo di Physical Vapor Deposition ed indica la tecnologia utilizzata per la deposizione di film metallici sottili su diverse tipologie di substrati.

PVD is the acronym for Physical Vapor Deposition and indicates the technology used for the deposition of thin metal films on different types of substrates.





Georgia 802K



CODICE / CODE	Ø	A	B	C	F18
802K.20.320.300	20x20	320	300	60	

 **F18**

AISI304
inox PVD lucido
polished PVD s. steel



dotazione standard / *included fixing kit*



bussole
bolts



guarnizioni
gaskets



grani
grub screws



viti autofilettanti
self-tapping



tronconi
threaded bars